



Interactive Asthma Discussion Guide



Together, you and your doctor can decide if CINQAIR may be right for you. To start the conversation, let your doctor know if any of these are true for you.

You may want to start a conversation with your doctor.

	Yes	No	Unsure
I have had asthma symptoms during the day more than twice a week. Symptoms may include wheezing, chest tightness, shortness of breath, or cough.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Asthma has affected my day-to-day life.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I have used my rescue inhaler more than twice a week.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I have needed urgent medical care because of my asthma.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
My peak flow rates are lower than they have been in the past.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
My lung function (breathing) test results are below normal.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
My eosinophil levels are higher than normal.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about CINQAIR® (reslizumab) Injection?

CINQAIR can cause serious side effects, including:

Serious allergic reactions (anaphylaxis). Serious allergic reactions can happen right after you receive your CINQAIR infusion. These reactions can cause death. Allergic reactions sometimes do not happen right away. Your healthcare provider will watch you during and after you receive your CINQAIR infusion for any signs of a reaction.

Please see additional Important Safety Information on the next page.

IMPORTANT SAFETY INFORMATION (continued)

Serious allergic reactions (anaphylaxis). (continued)

Tell your healthcare provider right away if you have any of the following symptoms that may be associated with an allergic reaction:

- breathing problems
- paleness
- flushing
- skin rash (hives)
- itching
- swelling of your face, lips, mouth, or tongue
- symptoms of low blood pressure (fainting, dizziness, light headedness, confusion, fast heart beat)
- nausea or abdominal discomfort

What is CINQAIR?

CINQAIR is a prescription medicine used with other asthma medicines for the maintenance treatment of asthma in people aged 18 years of age and older whose asthma is not controlled with the current asthma medicines. When added to other medicines for asthma, CINQAIR helps prevent severe asthma attacks (exacerbations) and can improve your breathing.

Medicines such as CINQAIR reduce blood eosinophils. Eosinophils are a type of white blood cell that may contribute to your asthma.

- CINQAIR is not used to treat other problems caused by eosinophils.
- CINQAIR is not used to treat sudden breathing problems.

It is not known if CINQAIR is safe and effective in children less than 18 years of age.

Do not receive CINQAIR if you are allergic to reslizumab or any of the ingredients in CINQAIR. See Full Prescribing Information for a complete list of the ingredients at CINQAIR.com.

Before receiving CINQAIR, tell your healthcare provider about all of your medical conditions, including if you:

- are taking oral or inhaled corticosteroid medicines. **Do not** stop taking your corticosteroid unless your healthcare provider tells you to stop. This may cause other symptoms that were controlled by the corticosteroid medicine to come back.
- have or have had cancer (malignancy).
- have a parasitic (helminth) infection.
- are pregnant or plan to become pregnant. It is not known if CINQAIR will harm your unborn baby. Tell your healthcare provider if you become pregnant during your treatment with CINQAIR.
- are breastfeeding or plan to breastfeed. It is not known if CINQAIR passes into your breast milk. You and your healthcare provider should decide if you will receive CINQAIR and breastfeed. Talk to your healthcare provider about the best way to feed your baby if you receive CINQAIR.

Do not stop taking your other asthma medicines unless your healthcare provider tells you to.

What are the possible side effects of CINQAIR?

CINQAIR may cause serious side effects, including:

- See “What is the most important information I should know about CINQAIR?”
- abnormal growth of cells or tissue in your body that may or may not be cancer (malignancy)

The most common side effects of CINQAIR include throat pain.

These are not all the possible side effects of CINQAIR.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Please see Full Prescribing Information, including Boxed WARNING, at CINQAIR.com.

